

# PITTSFORD LITTLE LEAGUE

## Proposed Plan to Restart Play (aka NYS COVID-19 Health & Safety Plan)

May 26, 2020



# Version and Scope

Version:	1.0
Current as of:	May 26, 2020
Applies to:	<p>“Pittsford Little League”, “PLL”, and “the league”</p> <p>Baseball and softball (including tee ball) players, coaches, spectators, umpires; concessions stand staff; others participating in a PLL event or others providing services to the PLL; Challenger baseball is out of scope (season postponed)</p> <p>Games, practices, “events”</p> <p>League-operated sites (e.g. Ford Field Complex, Habecker Complex) Town of Pittsford sites (e.g. Farm View Park, Thornell Farm Park) Pittsford Central School sites (e.g. Mendon HS turf)</p>

# PLL *Proposed* Plan to Restart Play

## Contents:

Preface	4
Section 1: Promoting Behaviors to Reduce the Spread of COVID	7
Section 2: Maintaining Healthy Operations	14
Section 3: Handling a COVID event	21
Appendix: Responsibility Summaries	23

# PLL *Proposed* Plan to Restart Play

## Preface:

If and only if it is decided by state and local authorities that it is permissible for youth sports programs restart play, then the PLL board may elect restart play in the summer of 2020 and would only do so in a safe and measured way.

Our region has started its phased reopening, however at this time we do not have any youth sports-specific requirements or timeframes from New York State to guide us. Our *proposed* plan has been created based on what we *expect* the requirements to restart play will be. The *proposed* plan is based on requirements for businesses to reopen, guidelines on youth sports from the CDC and baseball and softball best practices advocated by Little League International, USSSA, and other states that have restarted youth sports.

In summary, it is the view of the PLL board that the requirements outlined in this *proposed* plan will be necessary to operate safely with respect to stopping the spread of COVID *and* comply with the the *expected* requirements for restarting play. The plan was developed using available information as of the date it was published; as the situation changes and more information becomes available, the plan may change. Sharing the *proposed* plan with families now is intended to help families begin to decide if participation is right for them.

# PLL Proposed Plan to Restart Play

## How this plan was built - plan Inputs:

### NY Forward Business Re-Opening Safety Plan

**NY FORWARD BUSINESS RE-OPENING SAFETY PLAN TEMPLATE**

Each re-opening business must develop a written Safety Plan outlining how its workplace will prevent the spread of COVID-19. A business may fill out this template to fulfill the requirement, or may develop its own Safety Plan. **This plan does not need to be submitted to a state agency for approval** but must be retained on the premises of the business and must be available to the New York State Department of Health (DOH) or local health or safety authorities in the event of an inspection.

Business owners should refer to the State's industry-specific guidance for more information on how to safely operate. For a list of regions and sectors that are authorized to re-open, as well as detailed guidance for each sector, please visit: [forward.ny.gov](http://forward.ny.gov)

**COVID-19 Reopening Safety Plan**

**Name of Business:**  
Pittsford Little League, Inc.

**Industry:**  
Recreation; provides education and baseball and softball sports programs to youth ages 4 to 16 years old

**Address:**  
PO Box 313, Pittsford, NY 14534

**Contact Information:**  
John Magats, VP Baseball Operations, johnmagats@mac.com, (585) 355-0614

**Owner/Manager of Business:**  
Jon Blauvelt, President, jon.blauvelt@hpe.com, (585) 899-0444

**Human Resources Representative and Contact Information, if applicable:**  
n/a

**I. PEOPLE**

**A. Physical Distancing.** To ensure employees comply with physical distancing requirements, you agree that you will do the following:

- Ensure 6 ft. distance between personnel, unless safety or core function of the work activity requires a shorter distance. Any time personnel are less than 6 ft. apart from one another, personnel must wear acceptable face coverings.
- Tightly confined spaces will be occupied by only one individual at a time, unless all occupants are wearing face coverings. If occupied by more than one person, will keep occupancy under 50% of maximum capacity.

STAY HOME.
STOP THE SPREAD.
SAVE LIVES.

### CDC Considerations for Youth Sports

**CDC** Centers for Disease Control and Prevention

**Coronavirus Disease 2019 (COVID-19)**

**Considerations for Youth Sports**

As some communities in the United States begin to start youth sports activities again, the Centers for Disease Control and Prevention (CDC) offers the following considerations for ways in which youth sports organizations can protect players, families, and communities and slow the spread of the Coronavirus Disease 2019 (COVID-19). Administrators of youth sports organizations can consult with state and local health officials to determine if and how to put into place these considerations. Each community may need to make adjustments to meet its unique needs and circumstances. Implementation should be guided by what is practical, acceptable, and tailored to the needs of each community. These considerations are meant to supplement – **not replace** – any state, local, territorial, or tribal health and safety laws, rules, and regulations with which youth sports organizations must comply.

**Guiding Principles to Keep in Mind**

There are a number of actions youth sports organizations can take to help lower the risk of COVID-19 exposure and reduce the spread during competition and practice. The more people a child or coach interacts with, the closer the physical interaction, the more sharing of equipment there is by multiple players, and the longer that interaction, the higher the risk of COVID-19 spread. Therefore, risk of COVID-19 spread can be different, depending on the type of activity. The risk of COVID-19 spread increases in youth sports settings as follows:

- **Lowest Risk:** Performing skill-building drills or conditioning at home, alone or with family members.
- **Increasing Risk:** Team-based practice.
- **More Risk:** Within-team competition.
- **Even More Risk:** Full competition between teams from the same local geographic area.
- **Highest Risk:** Full competition between teams from different geographic areas.

If organizations are not able to keep in place safety measures during competition (for example, maintaining social distancing by keeping children six feet apart at all times), they may consider dropping down a level and limiting participation to within-team competition only (for example, scrimmages between members of the same team) or team-based practices only. Similarly, if organizations are unable to put in place safety measures during team-based activities, they may choose individual or at-home activities, especially if any members of the team are at high-risk for severe illness.

**Assessing Risk**

The way sports are played, and the way equipment is shared can influence the spread of COVID-19 among players. When you are assessing the risk of spread in your sport, consider:

- **Physical closeness of players, and the length of time that players are close to each other or to staff.** Sports that require frequent closeness between players may make it more difficult to maintain social distancing, compared to sports where players are not close to each other. For close-contact sports (e.g., wrestling, basketball), play may be modified to safely increase distance between players.
  - For example, players and coaches can:
    - focus on individual skill building versus competition;
    - limit the time players spend close to others by playing full contact only in game-time situations;
    - decrease the number of competitions during a season.
- **Coaches can also modify practices so players work on individual skills, rather than on competition.** Coaches may also put players into small groups (cohorts) that remain together and work through stations, rather than switching groups or mixing groups.
- **Amount of necessary touching of shared equipment and gear (e.g., protective gear, balls, bats, rackets, mats, or water bottles).** It is also possible that a reservoir can use COVID-19 free disinfectant to surface or object that has the virus on it, and

### Baseball and softball specific best practices from youth sports governing bodies and state governments

Home | Parents | Coronavirus Updates | Play Life League | League Finder | Player Safety | MENU

## Best Practices on Organizing, Playing, and Watching Games

**USSSA**

800 Station Parkway • Millersville, PA 21768 • usssausa.com • 800-747-2014 • 703-271-8770

**POST COVID-19 2021: USSSA Baseball & Fastpitch Return to Play**

**Recommended Best Practices for the Field-of-Play:**

1. Follow all local and state guidelines for facilities and events.
2. The managers meeting at home plate should be limited to one coach from each team plus the umpires. No players or state meeting. Eliminate the meeting if possible.
3. Where possible, consider options for limiting both the shaking and the scoreboard exchanges, in order to reduce person-to-person contact.
4. Allow teams to spread players not required to be dugout area when team parents and only if player safety will not be compromised. Expansion of the team dugouts should not be done until full test area. Allowed to let bench personnel to essential team personnel.
5. Encourage events to supply their players with antiseptical wipes and hand sanitizer for disinfecting, hand playing equipment and cleaning hands between innings/turnovers.
6. Allow players to wear PPE items if they choose, as long as the items do not compromise the safety of any and all participants in the game.
7. Require teams to clean their dugouts of all trash and other items after each game, and to wipe down (bleach) hot surfaces such as benches, bat racks, etc.
8. Upon arriving at a dugout for the first time, teams are to disinfect hot surface areas (benches, bat racks, etc.) Procedure of field off area will comply with the CDC recommendation of a two-step process for cleaning and disinfecting.
  - A. Cleaners should consider reducing the playing format and increasing the amount of time between games, to increase overlap and traffic flow where needed.
  - B. San the use of surface wipes.

Mike DeWine GOVERNOR OF OHIO | Ohio Department of Health

**Responsible RestartOhio**

Baseball and Softball

Applied to Venue	Mandatory	Recommended Best Practices
<b>Practice</b>	<ul style="list-style-type: none"> <li>• All participants, spectators, and equipment must adhere to strict physical distancing with at least 6 feet between individuals.</li> <li>• All participants, spectators, and equipment must adhere to strict physical distancing with at least 6 feet between individuals.</li> <li>• Complete game logs must be completed to track all participants, spectators, and equipment.</li> <li>• All participants, spectators, and equipment must adhere to strict physical distancing with at least 6 feet between individuals.</li> <li>• All participants, spectators, and equipment must adhere to strict physical distancing with at least 6 feet between individuals.</li> </ul>	<ul style="list-style-type: none"> <li>• Participants are strongly recommended for any participants.</li> <li>• Complete game logs must be completed to track all participants, spectators, and equipment.</li> <li>• All participants, spectators, and equipment must adhere to strict physical distancing with at least 6 feet between individuals.</li> <li>• All participants, spectators, and equipment must adhere to strict physical distancing with at least 6 feet between individuals.</li> </ul>
<b>Activities</b>	<ul style="list-style-type: none"> <li>• <b>Must adhere to the best social distancing practices.</b></li> <li>• All participants, spectators, and equipment must adhere to strict physical distancing with at least 6 feet between individuals.</li> <li>• All participants, spectators, and equipment must adhere to strict physical distancing with at least 6 feet between individuals.</li> </ul>	<ul style="list-style-type: none"> <li>• Participants are strongly recommended for any participants.</li> <li>• Complete game logs must be completed to track all participants, spectators, and equipment.</li> <li>• All participants, spectators, and equipment must adhere to strict physical distancing with at least 6 feet between individuals.</li> <li>• All participants, spectators, and equipment must adhere to strict physical distancing with at least 6 feet between individuals.</li> </ul>

**REOPENED MAY 18, 2020**

**MINIMUM STANDARD HEALTH PROTOCOLS**

CHECKLIST FOR YOUTH SPORTS OPERATORS Page 1 of 4

**A note about children and COVID-19:**

The virus that causes COVID-19 can infect people of all ages. While the risk of serious illness or loss of life is greatest in those 65 years of age or older with pre-existing health conditions, parents or every age group can become infected with COVID-19 and some become seriously ill or even die.

**We should all be healthiest than, with rare exceptions, COVID-19 is not identifying the item of our children. However, we can't forget that COVID-19 can be especially serious for children who have certain health conditions that increase their risk of severe illness.**

COVID-19 is spread from person to person through contact that is close enough to share droplets generated by coughing, sneezing, or talking, and even just breathing. COVID-19 can also be spread by touching objects where contaminated droplets have settled. Because of the close nature of play activities, at home, camp or young person who is infected with COVID-19 can spread the infection to others they come in close contact with, such as members of their household, teachers, or other caregivers. We have learned that children with mild or no symptoms can spread COVID-19.

**These facts are vitally important when considering whether to youth sporting activities.**

Once they are healthy, the most responsible way to ensure these sports are that children can be cared for, and for their parents and guardians to be able to return to work.

To reduce the risk of COVID-19 spread, we consider that certain measures such as strict face coverings or non-medical grade masks, respiratory etiquette, frequent hand washing / hand sanitation and environmental cleaning and sanitizing are viable options, and we encourage you to proceed with responsible care and a safe and measured way.

However, such protective measures that can be expected from adults are, for a variety of reasons, simply not possible for children and youth to practice in sporting activities.

**All of these factors mean that while certain precautions against the spread of COVID-19 are and will be applied to youth sports, the relevant measures that can be put in place in these settings will differ from those that are suitable for other social, business and recreational settings.**

**Every adult who is responsible for providing for youth in these settings must be aware of these facts and be willing to comply with the relevant control measures that will be in place in these settings. Parents should ensure the health of their children and not need them to participate in sporting activities if they exhibit any symptom of COVID-19. They should use COVID-19 testing promptly and report results to the program given the implications for other children, coaches, and staff. Individuals aged 18 or older, use at a higher risk of COVID-19. Parents should protect any vulnerable persons who are members of the same household or come into frequent, close contact with individuals who participate in youth sports.**

**About minimum health protocols:**

**Effective May 21, 2020, youth sports may begin holding practices without spectators other than one parent or guardian per participant, as needed. These sports may begin holding games or similar competitions, with no spectators, on or after May 18, 2020. Spectators should maintain at least a 6-foot social distancing from individuals not within the spectator's group.**

# PLL *Proposed* Plan to Restart Play

*Plan structure and criteria met:*



## 1 Promoting Behaviors to Reduce the Spread of COVID

### Infection control measures:

- Staying home when sick
- Physical distancing
- Use of face coverings (masks)
- Healthy hygiene practices
- Providing adequate supplies
- Signage and messaging

## 2 Maintaining Healthy Operations

### Infection control measures:

- Communicating requirements
- Team equipment allocation
- Cleaning and disinfection practices
- Scheduling of events
- Handling baseballs and softballs
- Minimizing group interactions

## 3 Handling a COVID Event

### COVID event protocol:

- Medical care and sanitization
- Notifying state and local officials
- Disclosing information for contact tracing efforts
- Disclosing information to PLL participants

### Standards met:

- Compliance with New York State DOH requirements
- Adherence to CDC Guidelines for Youth Sports
- Implements baseball and softball specific best-practices from youth sports governing bodies and other state health departments

### Establishes specific requirements for:

- Players
- Spectators
- Coaches
- Concessions staff
- Umpires
- Service providers

**Section 1:**  
**Promoting Behaviors to Reduce the Spread of COVID**

Section 1

# Promoting Behaviors to Reduce the Spread of COVID

***All PLL participants must be assessed for COVID symptoms daily.***

- Per the CDC, COVID symptoms includes shortness of breath, difficulty breathing, cough, fever, chills, muscle pain, headaches, sore throat, and loss of taste or smell.
- Any participant experiencing COVID symptoms must stay at home; anyone participating in a PLL event must be symptom-free for 14-days.

## Section 1

# Promoting Behaviors to Reduce the Spread of COVID

## ***All PLL participants must comply with the PLL's physical distancing requirements.***

- Physical distancing of six-feet is required to be practiced as follows:
  - All PLL players must adhere to six-feet distancing whenever possible on the playing field for games or practices; off the playing field players must maintain six-feet distancing from those not in the same household.
  - All PLL players will be assigned a designated space where they are required to sit when their team is at bat or when not playing in the field.
  - All PLL coaches must adhere to six-feet distancing on the playing field for games and practices; off the playing field coaches must maintain six-feet distancing from those not in the same household.
  - All PLL umpires must adhere to six-feet distancing on the playing field whenever possible; home plate umpires will call balls and strikes from behind the pitcher. If possible, pre-game plate meetings should be eliminated.
  - All PLL spectators must always adhere to six-feet distancing for those not in the same family; spectators may not enter the field of play. Bleachers will be closed to spectators.
- Players and coaches must refrain from personal contact celebrations such as high-fives, fist bumps and shaking hands. Players and coaches are encouraged to give each other virtual high-fives or virtual fist bumps and tip their hats to show appreciation.

# Promoting Behaviors to Reduce the Spread of COVID

***All participants must comply with the PLL's face covering (mask) requirements.***

- Face coverings (masks) are required to be worn as follows:
  - PLL players are not required to wear masks while on the field during games and practices. PLL players are required to wear face coverings when not actively participating in games or practices and when coming to or leaving the field.
  - All PLL coaches, umpires, spectators (ages 3 and older) and other staff are required to wear face coverings during games and practices.

## Section 1

# Promoting Behaviors to Reduce the Spread of COVID

***All PLL participants must exhibit healthy hygiene practices.***

- Healthy hygiene practices include hand washing, using sanitizer, refraining from spitting, and covering coughs and sneezes. Hand sanitizer will be available to players, coaches and umpires during games and practices; it is recommended that sanitizer be used between innings and at regular intervals during practice. Eating seeds, chewing gum and products of the like are not permitted.
- Players, coaches and umpires are not permitted to share drink bottles or other personal items such as face covers; if it is necessary to share critical game equipment such as bats, helmets, or catcher's equipment, the equipment must be cleaned with a disinfectant approved against COVID between uses.

Section 1

# Promoting Behaviors to Reduce the Spread of COVID

***The PLL will provide adequate supplies for participants to comply with requirements.***

- The PLL will provide supplies including soap, sanitizer, paper towels, tissues and wipes.
- Supplies will be available to participants in dugouts, restrooms, and common areas such as batting cages and concessions stands.

## Section 1

# Promoting Behaviors to Reduce the Spread of COVID

***The PLL will post signs on its premises and online reminding participants of the infection control requirements that are in effect.***

- Signs reminding all participants of PLL requirements will be posted in dugouts, restrooms, and common areas at each site.
- Physical distancing markers will be posted in common and high-traffic areas such as the concessions stand and restrooms.
- Requirements will be posted on the PLL website, social media sites and sent via email to participants.

## **Section 2:** **Maintaining Healthy Operations**

# Maintaining Healthy Operations

***The PLL will actively communicate COVID-related plan requirements and set expectations with participants.***

- Requirements for the season will be made known to all registrants and potential participants via email and through online posting; registrants may opt out for any reason and receive a credit or refund.
- Coaches, umpires, and other volunteers/staff will be required to acknowledge receipt and understanding of the requirements; volunteers will attend a PLL webinar to review requirements and clarify their understanding.
- Participants will have the opportunity to escalate any COVID-related matter to the [PLL Safety Officer](#).

Section 2

# Maintaining Healthy Operations

***The PLL will make every effort to try to provide a player in need of a helmet with one to use to prevent equipment sharing.***

- If critical game equipment must be shared, the equipment must be properly sanitized between users.
- Upon the conclusion of the season, all team issued equipment has been properly sanitized prior to re-issue for the fall season.

## Section 2

# Maintaining Healthy Operations

***The PLL will establish a daily cleaning and disinfection regimen for each site.***

- Restrooms, concessions areas, dugouts and bleachers will be cleaned and sanitized daily.
- Garbage receptacles will be emptied, cleaned and sanitized daily.
- A log will be kept containing the date, time and scope of each cleaning; the log will be kept at each PLL site.
- Players will be required to clean and disinfect personal equipment after games and practices.
- PLL concessions stands will only serve pre-packaged snack and beverage items; no food or beverage items will be prepared by concessions stand staff members.

## Section 2

# Maintaining Healthy Operations

***The PLL will schedule practices and games to minimize overlap with other practices and games.***

- Whenever possible, start and end times of events will be staggered so that participants who have finished their game or practice have time to leave the premises prior to the arrival of participants for the next scheduled game or practice.

Section 2

# Maintaining Healthy Operations

***The PLL will adhere to practices to limit the number of people who touch baseballs and softballs.***

- Game balls will be swapped out every two innings and new balls will be put into play.
- Each half inning, coaches will designate two players to retrieve foul balls.

## Section 2

# Maintaining Healthy Operations

***The PLL will engage in practices to minimize participant gatherings and large group interaction.***

- Spectators will be limited to immediate family members of players.
- Participants will be discouraged from congregating in common areas prior to or following games and practices.
- Post-game team meetings will not be held.
- Coaches will be encouraged to exchange lineups via email or text prior to games.
- League events such as the Annual Parade and Opening Day Ceremonies will not be held.
- All league meetings including player drafts for team formation, coach's meetings, and umpire training will be held in a virtual environment.
- The league will continue to promote virtual coaching and at home drills for player development.

## Section 3: **Handling a COVID Event**

### Section 3

# Handling a COVID Event

## *COVID Event Handling Protocol*

- Participants who exhibit COVID symptoms at a PLL game or practice will be isolated and medical care for the individual will be sought; affected areas will be closed off and sanitized in a manner and timeframe consistent with CDC guidelines.
- The PLL will immediately notify state and local health officials about any suspected COVID exposure or case.
- The PLL will retain event schedule information, team rosters and staff information; the PLL will provide this information to state and local health officials to assist in contact tracing of exposed/potentially infected individuals.
- The PLL will act in accordance with privacy laws and regulations and notify PLL participants of a COVID exposure at a PLL event.

# Appendix: **Responsibility Summaries**

## Player Summary:

PLL infection control measures:	PLL player requirements and guidelines:
Staying home when sick	PLL players must be assessed for COVID symptoms daily, players experiencing COVID symptoms must stay home; all players must be symptom-free for 14-days to participate in or be a spectator at PLL games and practices.
Physical distancing	PLL players must adhere to six-foot distancing whenever possible on the playing field for games or practices; off the playing field players must maintain six-foot distancing from those not in the same household.
Use of face coverings (masks)	PLL players are required to wear masks when not actively participating in a game or practice and when coming to or leaving the field. PLL players are not required to wear masks while on the field during games and practices.
Healthy hygiene practices	PLL players are required to wash their hands with soap frequently, use hand sanitizer, refrain from spitting, and must cover their coughs and sneezes. Seeds, chewing gum and products of the like are not permitted. Players are not permitted to share drink bottles and other personal items such as face covers; if it is necessary to share critical game equipment such as bats, helmets, or catcher's equipment, the equipment must be cleaned with a disinfectant approved against COVID between users. Players must refrain from personal contact celebrations such as high-fives, fist bumps and shaking hands. Players are encouraged to give each other virtual high-fives or virtual fist bumps and tip their hats to show appreciation.
Cleaning and disinfecting	PLL player's personal equipment must be cleaned and disinfected after use.
Minimizing group interactions	PLL players should not congregate in common areas prior to or following games and practices.

## ***Coach Summary:***

<b>PLL infection control measures:</b>	<b>PLL coach requirements and guidelines:</b>
Staying home when sick	PLL coaches must conduct a daily self-assessment for COVID symptoms. Coaches experiencing COVID symptoms must stay home; all coaches must be symptom-free for 14-days to participate in or be a spectator at PLL games and practices.
Physical distancing	PLL coaches must adhere to six-foot distancing on the playing field for games and practices; off the playing field coaches must maintain six-foot distancing from those not in the same household.
Use of face coverings (masks)	PLL coaches are required to wear masks at all times.
Healthy hygiene practices	PLL coaches are required to wash their hands with soap frequently, use hand sanitizer, refrain from spitting, and must cover their coughs and sneezes. Seeds, chewing gum and products of the like are not permitted. Coaches are not permitted to share drink bottles and other personal items such as face covers. When it is necessary to share critical game equipment such as bats, helmets, or catcher's equipment, the equipment must be cleaned with a disinfectant approved against COVID between users. Game balls will be swapped out every two innings of play. Each half inning coaches will designate two players to retrieve foul balls. Coaches should exchange lineups via email or text messaging; if possible, the pre-game plate meeting should be eliminated. Coaches must refrain from personal contact celebrations such as high-fives, fist bumps and shaking hands. Coaches are encouraged to give each other virtual high-fives or virtual fist bumps and tip their hats to show appreciation. Post game team huddles will not be held.
Cleaning and disinfecting	PLL coaches should remind their team to clean and disinfect their personal equipment after use; coaches should disinfect any team equipment after each game or practice.
Minimizing group interactions	PLL coaches should not congregate in common areas prior to or following games and practices.

## ***Umpire Summary:***

<b>PLL infection control measures:</b>	<b>PLL umpire requirements and guidelines:</b>
Staying home when sick	PLL umpires must conduct a daily self-assessment for COVID symptoms. Umpires experiencing COVID symptoms must stay home; all umpires must be symptom-free for 14-days to participate in or be a spectator at PLL games.
Physical distancing	PLL umpires must adhere to six-foot distancing whenever possible on the field; home plate umpires must maintain the maximum possible distance from the catcher while still being able to perform their duty. If possible, pre-game meetings at home plate should be eliminated.
Use of face coverings (masks)	PLL umpires are required to wear masks at all times.
Healthy hygiene practices	PLL umpires are required to wash their hands with soap frequently, use hand sanitizer, refrain from spitting, and must cover their coughs and sneezes. Seeds, chewing gum and products of the like are not permitted. Umpires are not permitted to share drink bottles and other personal items such as face coverings; when it is necessary to share critical equipment such as a helmets or chest protectors, the equipment must be cleaned with a disinfectant approved against COVID between uses.
Cleaning and disinfecting	PLL umpires must clean and disinfect their personal equipment after use.
Minimizing group interactions	PLL umpires should not congregate in common areas prior to or following games and practices.

## ***Spectator Summary:***

<b>PLL infection control measures:</b>	<b>PLL spectator requirements and guidelines:</b>
Staying home when sick	PLL spectators must conduct a daily self-assessment for COVID symptoms. Spectators experiencing COVID symptoms must stay home; all spectators must be symptom-free for 14-days to participate in or be a spectator at PLL games.
Physical distancing	PLL spectators must adhere to six-foot distancing from those not in the same household. Bleachers will be closed to spectators and spectators should plan to bring their own lawn chairs.
Use of face coverings (masks)	PLL spectators ages 3 and older are required to wear masks at all times.
Healthy hygiene practices	PLL spectators are required to wash their hands with soap frequently, use hand sanitizer, refrain from spitting, and must cover their coughs and sneezes.
Minimizing group interactions	PLL spectators are limited to immediate family members; spectators should not congregate in common areas prior to or following games and practices.

# Concessions Stand Staff Summary:

PLL infection control measures:	PLL concessions stand staff requirements and guidelines:
Staying home when sick	PLL concessions stand staff must conduct a daily self-assessment for COVID symptoms. Concessions stand staff experiencing COVID symptoms must stay home; all concessions stand staff must be symptom-free for 14-days to participate in or be a spectator at PLL games.
Physical distancing	PLL concessions stand staff must adhere to six-foot distancing whenever possible while still being able to perform their duties.
Use of face coverings (masks)	PLL concessions stand staff are required to wear masks at all times.
Healthy hygiene practices	PLL concessions stands will only serve pre-packages beverage and food items; no beverage or food items will be prepared by concessions stand staff members. In addition to existing health and safety requirements, all PLL concessions stand staff are required to wash their hands with soap frequently, use hand sanitizer, refrain from spitting, and must cover their coughs and sneezes. To the extent possible, concessions stand staff should limit sharing equipment.
Cleaning and disinfecting	PLL concessions stand staff must adhere to cleaning and sanitization requirements of commonly used surfaces.
Minimizing group interactions	PLL concessions stand staff members should not congregate in common areas prior to or following games and practices.