



CITY OF MANCHESTER

Department of Health

1528 Elm Street
Manchester, NH 03101-1350
Telephone: (603) 624-6466
Administrative & Environmental Health FAX (603) 628-6004
Community Health FAX: (603) 665-6894
School Health FAX: (603) 624-6584

BOARD OF HEALTH

Carol Bednarowski
Laura Smith Emmick, M.D.
M. Mary Mongan, R.N.
Kristin Schmidt

Frederick A. Rusczek, M.P.H.
Public Health Director

Eastern Equine Encephalitis Fact Sheet

What is Eastern Equine Encephalitis?

Eastern Equine Encephalitis (EEE) is a mosquito-borne viral disease. This rare but serious disease is transmitted to humans through the bite of an infected mosquito. The virus that causes EEE is usually found only in birds and in the mosquitoes that bite birds. Sometimes the virus is found in mosquitoes that also bite horses and people. The risk of getting EEE is highest from late July through September.

What is Eastern Equine Encephalitis?

EEE is spread through the bite of an infected mosquito. People and horses with EEE cannot spread the disease.

What are the symptoms of EEE?

Symptoms of EEE usually appear 4 to 10 days after a bite from an infected mosquito. Infection in humans can cause a range of illness. Most people have no symptoms; others get only a mild flu-like illness with fever, headache, and sore throat. For more severe cases of people with infection of the central nervous system, a sudden high fever (103 – 106 degrees F), severe headache, and stiff neck can be followed quickly by seizures and coma.

What is the treatment for EEE?

There is no cure for EEE, and three of every ten people who get the disease die from it. All doctors can do is lower the fever and ease the pressure on the brain and spinal cord. Some people who survive this disease will be permanently disabled.

Who is at risk for EEE?

Everyone is at risk for EEE. However, children and adults over age 55 are more susceptible to the disease. Other factors, such as people who work outside or participate in outdoor recreational activities in areas where the disease is common, increase an individual's risk for EEE. The risk of getting EEE is highest between late July and the end of September.

What can you do to protect yourself?

The best way to protect yourself is to keep mosquitoes from biting you, and to eliminate their breeding areas.

- If you must be outdoors at dusk or dawn, when mosquitoes that carry EEE are most active, wear a long-sleeved shirt and long pants. Take special care to cover up the arms and legs of children playing outdoors.
- If outside during evening, night and dawn hours, consider using an insect repellent containing no more than 30% DEET (N, N-diethyl-methyl-meta-toluarnide). *Remember to always use the repellent in accordance with the manufacturer's directions.*
- Repair any holes in your window /door screens and make sure they are tightly attached to all your doors and windows.
- Remove all discarded tires. The used tire has become the most common domestic mosquito breeding site in this country.
- Dispose of tin cans, plastic containers, ceramic pots, or similar water-holding containers.
- Drill holes in the bottom of recycling containers that are left outdoors.
- Make sure roof gutters drain properly.
- Clean and chlorinate swimming pools, outdoor saunas and hot tubs. If not in use, keep empty and covered.
- Drain water from pool covers.
- Aerate ornamental pools or stock them with fish.
- Turn over wheelbarrows and change water in birdbaths at least twice weekly.

For more information on Eastern Equine Encephalitis, contact the Manchester Health Department at 624-6466 x325.



Prevention Guidelines for Eastern Equine Encephalitis (EEE) and West Nile Virus (WNV)

1. Eliminate standing water and other mosquito breeding locations.

- Remove old tires from your property.
- Dispose of tin cans, plastic containers, ceramic pots or other containers. Don't overlook containers that have become overgrown by aquatic vegetation.
- Drill holes in the bottom of containers that are left outside.
- Make sure roof gutters are clean and properly draining.
- Clean and chlorinate swimming pools and hot tubs. If not in use, keep empty and covered and keep cover free of standing water.
- Aerate garden ponds or stock them with fish.
- Turn over wheelbarrows and wading pools when not in use.
- Change the water in birdbaths at least twice weekly.
- Remind or help neighbors to eliminate breeding sites on their property.

2. Be aware of where mosquitoes live and breed and keep them from entering your home.

- Mosquitoes lay their eggs in stagnant water. Weeds, tall grass, and bushes provide an ideal outdoor home for the adult *Culex pipiens* mosquito (the common northern house mosquito), which is most commonly associated with West Nile Virus.
- Mosquitoes can enter homes through unscreened windows or doors, or broken screens. Make sure that all doors and windows have tight-fitting screens and repair or replace all screens in your home that have tears or holes.

3. Protect yourself from mosquito bites.

- If outside during evening, nighttime, or dawn hours when mosquitoes are most active and likely to bite, children and adults should wear protective clothing such as long pants, long-sleeved shirts, and socks.
- Consider using an effective insect repellent containing DEET (N,N-diethyl-methyl-metabolamide). Use a repellent containing no more than 30% DEET. Use DEET containing insect repellents according to the manufacturer's directions. Children should not apply DEET to themselves. Repellents that contain Picaridin or oil of lemon eucalyptus have also been determined to be effective.
- Vitamin B, ultrasonic devices, incense, and bug zappers have not been shown to be effective in preventing mosquito bites.

For more information on Eastern Equine Encephalitis, contact the Manchester Health Department at 624-6466 x325.